



DEVELOPMENT SERVICES DEPARTMENT
ENVIRONMENTAL COORDINATOR
450 110th Ave NE
BELLEVUE, WA 98009-9012

DETERMINATION OF NON-SIGNIFICANCE

PROPONENT: Thomas Moy

LOCATION OF PROPOSAL: 15531 SE 43rd Pl & 15440 SE 43rd St

DESCRIPTION OF PROPOSAL: Abatement of 8 hazardous trees located within a steep slope buffer and stream buffer. Proposal includes a replacement planting plan for 8 new trees.


FILE NUMBERS: 19-105106-GJ

PLANNER: David Wong

The Environmental Coordinator of the City of Bellevue has determined that this proposal does not have a probable significant adverse impact upon the environment. An Environmental Impact Statement (EIS) is not required under RCW 43.21C.030(2)(C). This decision was made after the Bellevue Environmental Coordinator reviewed the completed environmental checklist and information filed with the Land Use Division of the Development Services Department. This information is available to the public on request.

- ☐ There is no comment period for this DNS. There is a 14-day appeal period. Only persons who submitted written comments before the DNS was issued may appeal the decision. A written appeal must be filed in the City Clerk's office by 5:00 p.m. on _____.
- ☒ This DNS is issued after using the optional DNS process in WAC 197-11-355. There is no further comment period on the DNS. There is a 14-day appeal period. Only persons who submitted written comments before the DNS was issued may appeal the decision. A written appeal must be filed in the City Clerk's Office by 5 p.m. on **5/23/2019**
- ☐ This DNS is issued under WAC 197-11-340(2) and is subject to a 14-day comment period from the date below. Comments must be submitted by 5 p.m. on _____. This DNS is also subject to appeal. A written appeal must be filed in the City Clerk's Office by 5:00 p.m. on _____.

This DNS may be withdrawn at any time if the proposal is modified so as to have significant adverse environmental impacts; if there is significant new information indicating a proposals probable significant adverse environmental impacts (unless a non-exempt license has been issued if the proposal is a private project); or if the DNS was procured by misrepresentation or lack of material disclosure.



Environmental Coordinator
Elizabeth Stead

5/9/2019

Date

OTHERS TO RECEIVE THIS DOCUMENT:


- ☒ State Department of Fish and Wildlife / Stewart.Reinbold@dfw.gov; Christa.Heller@dfw.wa.gov;
- ☐ State Department of Ecology, Shoreline Planner N.W. Region / Jobu461@ecy.wa.gov; sepaunit@ecy.wa.gov
- ☐ Army Corps of Engineers Susan.M.Powell@nws02.usace.army.mil
- ☒ Attorney General ecyolyef@atg.wa.gov
- ☒ Muckleshoot Indian Tribe Karen.Walter@muckleshoot.nsn.us; Fisheries.fileroom@muckleshoot.nsn.us



The City of Bellevue does not guarantee that the information on this map is accurate or complete. This data is provided on an "as is" basis and disclaims all warranties.

Received
FEB 01 2019

Received
FEB 01 2019



Trees 6-8 okay to snag at minimum height but no less than 20'. Snag cut will need to mimic natural failure. No flat snags allowed. All wood left on-site in stream buffer.

Trees 1-4 okay to snag at minimum height but no less than 20'. Snag cut will need to mimic natural failure. No flat snags allowed. All wood left on-site in stream buffer.

Tree 5 (see site plan) okay to remove. Trunk to be left on-site in buffer area.

X - Western Redcedar
4-6' at time of installation

The City of Bellevue does not guarantee that the data on this map is accurate or complete. This data is provided on an "as is" basis and disclaims all warranties.